



ELECSURGICAL INSTRUMENTS

www.maarain.com



MADE BY PROFESSIONALS FOR PROFESSIONALS

For over 30 years we have been at the forefront in the specialist manufacture of precision instruments used by the Medical and Dental profession. This experience is the basis for development and manufacturing of high quality, precision made Electrosurgical Instruments & Accessories.

M.A. Arain & Brothers offers a wide range of electrosurgical instruments and accessories that complete the system. Within the product line are a variety of bipolar forceps, monopolar forceps, cables, Electrosurgical pencils, electrodes & loops, instruments for OB/GYN and Diathermy.

From our technically advanced production facility, all of our products are designed and precision engineered to the highest specification, using only the finest grade materials and components, ensuring our own exacting quality standards. Each product complies with the requirements of international quality standards.

Our products have been designed through extensive research and in collaboration with key medical industry professionals, which ensure high performance, reliability and new levels of safety.



TABLE OF CONTENTS

Bipolar Forceps	01 - 08
Standard	01
Non Stick	01
Monopolar Forceps	01 - 08
Cables	01 - 08
Electrosurgical Pencil	01 - 08
Handswitching	01
Footswitching	01
Electrodes	01 - 08
Standard	01
Non Stick	01
Colposcopy Loops	01 - 08
Bipolar Electrodes	01 - 08
Laparoscopic Electrodes	01 - 08
Endo Hooks	01 - 08
Hand control	01
Foot control	01
Speculums	01 - 08




BIPOLAR FORCEPS

STANDARD
NON STICK
IRRIGATING
NON STICK IRRIGATING

STANDARD BIPOLAR FORCEPS


McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-005-10050	110-004-10050	0.5mm	4" or 10.2 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-015-10050	110-014-10050	0.5mm	4" or 10.2 cm



Jeweler No.5, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-025-11050	110-024-11050	0.5mm	4 1/2" or 11.4 cm



Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-035-11050	110-034-11050	0.5mm	4 1/2" or 11.4 cm






Jeweler No.7, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-045-11050	110-044-11050	0.5mm	4 ½" or 11.2 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
110-055-13050	110-054-13050	0.5mm	4 ¾" or 12.1 cm
110-055-13100	110-054-13100	1.0mm	4 ¾" or 12.1 cm




Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-065-15050	110-064-15050	0.5mm	6" or 15.2 cm
110-065-15100	110-064-15100	1.0mm	6" or 15.2 cm
110-065-15150	110-064-15150	1.5mm	6" or 15.2 cm
110-065-15200	110-064-15200	2.0mm	6" or 15.2 cm
110-065-17050	110-064-17050	0.5mm	6 ½" or 16.5 cm
110-065-17100	110-064-17100	1.0mm	6 ½" or 16.5 cm
110-065-17150	110-064-17150	1.5mm	6 ½" or 16.5 cm
110-065-17200	110-064-17200	2.0mm	6 ½" or 16.5 cm



Straight


With Cable		Without Cable	
Code	Code	Tip	Length
110-065-18050	110-064-18050	0.5mm	7" or 17.8 cm
110-065-18100	110-064-18100	1.0mm	7" or 17.8 cm
110-065-18150	110-064-18150	1.5mm	7" or 17.8 cm
110-065-18200	110-064-18200	2.0mm	7" or 17.8 cm
110-065-20050	110-064-20050	0.5mm	7 ¼" or 19.7 cm
110-065-20100	110-064-20100	1.0mm	7 ¼" or 19.7 cm
110-065-20150	110-064-20150	1.5mm	7 ¼" or 19.7 cm
110-065-20200	110-064-20200	2.0mm	7 ¼" or 19.7 cm
110-065-21050	110-064-21050	0.5mm	8 ¼" or 21 cm
110-065-21100	110-064-21100	1.0mm	8 ¼" or 21 cm
110-065-21150	110-064-21150	1.5mm	8 ¼" or 21 cm
110-065-21200	110-064-21200	2.0mm	8 ¼" or 21 cm



STANDARD BIPOLAR FORCEPS


Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-15050	110-074-15050	0.5mm	6" or 15.2 cm
110-075-15100	110-074-15100	1.0mm	6" or 15.2 cm
110-075-15150	110-074-15150	1.5mm	6" or 15.2 cm
110-075-15200	110-074-15200	2.0mm	6" or 15.2 cm
110-075-17050	110-074-17050	0.5mm	6 ½" or 16.5 cm
110-075-17100	110-074-17100	1.0mm	6 ½" or 16.5 cm
110-075-17150	110-074-17150	1.5mm	6 ½" or 16.5 cm
110-075-17200	110-074-17200	2.0mm	6 ½" or 16.5 cm




Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-18050	110-074-18050	0.5mm	7" or 17.8 cm
110-075-18100	110-074-18100	1.0mm	7" or 17.8 cm
110-075-18150	110-074-18150	1.5mm	7" or 17.8 cm
110-075-18200	110-074-18200	2.0mm	7" or 17.8 cm
110-075-20050	110-074-20050	0.5mm	7 ¼" or 19.7 cm
110-075-20100	110-074-20100	1.0mm	7 ¼" or 19.7 cm
110-075-20150	110-074-20150	1.5mm	7 ¼" or 19.7 cm
110-075-20200	110-074-20200	2.0mm	7 ¼" or 19.7 cm
110-075-21050	110-074-21050	0.5mm	8 ¼" or 21 cm
110-075-21100	110-074-21100	1.0mm	8 ¼" or 21 cm
110-075-21150	110-074-21150	1.5mm	8 ¼" or 21 cm
110-075-21200	110-074-21200	2.0mm	8 ¼" or 21 cm




Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
110-085-15050	110-084-15050	0.5mm	6" or 15.2 cm
110-085-15100	110-084-15100	1.0mm	6" or 15.2 cm
110-085-15150	110-084-15150	1.5mm	6" or 15.2 cm
110-085-15200	110-084-15200	2.0mm	6" or 15.2 cm
110-085-17050	110-084-17050	0.5mm	6 ½" or 16.5 cm
110-085-17100	110-084-17100	1.0mm	6 ½" or 16.5 cm
110-085-17150	110-084-17150	1.5mm	6 ½" or 16.5 cm
110-085-17200	110-084-17200	2.0mm	6 ½" or 16.5 cm




Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
110-085-18050	110-084-18050	0.5mm	7" or 17.8 cm
110-085-18100	110-084-18100	1.0mm	7" or 17.8 cm
110-085-18150	110-084-18150	1.5mm	7" or 17.8 cm
110-085-18200	110-084-18200	2.0mm	7" or 17.8 cm
110-085-20050	110-084-20050	0.5mm	8" or 20.3 cm
110-085-20100	110-084-20100	1.0mm	8" or 20.3 cm
110-085-20150	110-084-20150	1.5mm	8" or 20.3 cm
110-085-20200	110-084-20200	2.0mm	8" or 20.3 cm




Bayonet, Angled Up

With Cable		Without Cable	
Code	Code	Tip	Length
110-095-15050	110-094-15050	0.5mm	6" or 15.2 cm
110-095-15100	110-094-15100	1.0mm	6" or 15.2 cm
110-095-15150	110-094-15150	1.5mm	6" or 15.2 cm
110-095-15200	110-094-15200	2.0mm	6" or 15.2 cm
110-095-17050	110-094-17050	0.5mm	6 1/2" or 16.5 cm
110-095-17100	110-094-17100	1.0mm	6 1/2" or 16.5 cm
110-095-17150	110-094-17150	1.5mm	6 1/2" or 16.5 cm
110-095-17200	110-094-17200	2.0mm	6 1/2" or 16.5 cm




Bayonet, Angled Up

With Cable		Without Cable	
Code	Code	Tip	Length
110-095-18050	110-094-18050	0.5mm	7" or 17.8 cm
110-095-18100	110-094-18100	1.0mm	7" or 17.8 cm
110-095-18150	110-094-18150	1.5mm	7" or 17.8 cm
110-095-18200	110-094-18200	2.0mm	7" or 17.8 cm
110-095-20050	110-094-20050	0.5mm	8" or 20.3 cm
110-095-20100	110-094-20100	1.0mm	8" or 20.3 cm
110-095-20150	110-094-20150	1.5mm	8" or 20.3 cm
110-095-20200	110-094-20200	2.0mm	8" or 20.3 cm




Bayonet, Angled Down

With Cable		Without Cable	
Code	Code	Tip	Length
110-105-15050	110-104-15050	0.5mm	6" or 15.2 cm
110-105-15100	110-104-15100	1.0mm	6" or 15.2 cm
110-105-15150	110-104-15150	1.5mm	6" or 15.2 cm
110-105-15200	110-104-15200	2.0mm	6" or 15.2 cm
110-105-17050	110-104-17050	0.5mm	6 1/2" or 16.5 cm
110-105-17100	110-104-17100	1.0mm	6 1/2" or 16.5 cm
110-105-17150	110-104-17150	1.5mm	6 1/2" or 16.5 cm
110-105-17200	110-104-17200	2.0mm	6 1/2" or 16.5 cm



Bayonet, Angled Down


With Cable		Without Cable	
Code	Code	Tip	Length
110-105-18050	110-104-18050	0.5mm	7" or 17.8 cm
110-105-18100	110-104-18100	1.0mm	7" or 17.8 cm
110-105-18150	110-104-18150	1.5mm	7" or 17.8 cm
110-105-18200	110-104-18200	2.0mm	7" or 17.8 cm
110-105-20050	110-104-20050	0.5mm	8" or 20.3 cm
110-105-20100	110-104-20100	1.0mm	8" or 20.3 cm
110-105-20150	110-104-20150	1.5mm	8" or 20.3 cm
110-105-20200	110-104-20200	2.0mm	8" or 20.3 cm



STANDARD BIPOLAR FORCEPS


McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100-005-09050	100-004-09050	0.5mm	3 1/2" or 8.9 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-015-09050	100-014-09050	0.5mm	3 1/2" or 8.9 cm




Iris, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100-045-11050	100-044-11050	0.5mm	4 1/4" or 10.8 cm
100-045-11100	100-044-11100	1.0mm	4 1/4" or 10.8 cm




Iris, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-055-11050	100-054-11050	0.5mm	4 1/4" or 10.8 cm
100-055-11100	100-054-11100	1.0mm	4 1/4" or 10.8 cm




Jeweler No.4

With Cable		Without Cable	
Code	Code	Tip	Length
100-075-11050	100-074-11050	0.5mm	4 ½" or 11.4 cm




Jeweler No.5

With Cable		Without Cable	
Code	Code	Tip	Length
100-085-11050	100-084-11050	0.5mm	4 ½" or 11.4 cm




Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-285-11050	100-284-11050	0.5mm	4 ½" or 11.4 cm



Jeweler No.7


With Cable		Without Cable	
Code	Code	Tip	Length
100-095-11050	100-094-11050	0.5mm	4 ½" or 11.4 cm



STANDARD BIPOLAR FORCEPS


Adson

With Cable		Without Cable	
Code	Code	Tip	Length
100-105-12050	100-104-12050	0.5mm	4 ¼" or 12.1 cm
100-105-12100	100-104-12100	1.0mm	4 ¼" or 12.1 cm
100-115-13050	100-114-13050	0.5mm	5" or 12.7 cm
100-115-13100	100-114-13100	1.0mm	5" or 12.7 cm




Semkin

With Cable		Without Cable	
Code	Code	Tip	Length
100-125-14050	100-124-14050	0.5mm	5 ½" or 14 cm
100-125-14100	100-124-14100	1.0mm	5 ½" or 14 cm




Cushing

With Cable		Without Cable	
Code	Code	Tip	Length
100-135-16100	100-134-16100	1.0mm	6 ¼" or 15.9 cm
100-135-16150	100-134-16150	1.5mm	6 ¼" or 15.9 cm
100-135-18100	100-134-18100	1.0mm	7" or 17.8 cm
100-135-18150	100-134-18150	1.5mm	7" or 17.8 cm
100-135-18200	100-134-18200	2.0mm	7" or 17.8 cm



Gerald

With Cable		Without Cable	
Code	Code	Tip	Length
100-155-18100	100-154-18100	1.0mm	7" or 17.8 cm
100-155-18150	100-154-18150	1.5mm	7" or 17.8 cm





Gerald, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-165-18100	100-164-18100	1.0mm	7" or 17.8 cm
100-165-18150	100-164-18150	1.5mm	7" or 17.8 cm



Gerald Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-175-18100	100-174-18100	1.0mm	7 ¼" or 18.4 cm
100-175-18150	100-174-18150	1.5mm	7 ¼" or 18.4 cm
100-175-20100	100-174-20100	1.0mm	8" or 20.3 cm
100-175-20150	100-174-20150	1.5mm	8" or 20.3 cm



Jansen Bayonet


With Cable		Without Cable	
Code	Code	Tip	Length
100-185-15050	100-184-15050	0.5mm	6" or 15.2 cm
100-185-15100	100-184-15100	1.0mm	6" or 15.2 cm
100-185-15150	100-184-15150	1.5mm	6" or 15.2 cm
100-185-17050	100-184-17050	0.5mm	6 ½" or 16.5 cm
100-185-17100	100-184-17100	1.0mm	6 ½" or 16.5 cm
100-185-17150	100-184-17150	1.5mm	6 ½" or 16.5 cm
100-185-18050	100-184-18050	0.5mm	7" or 17.8 cm
100-185-18100	100-184-18100	1.0mm	7" or 17.8 cm
100-185-18150	100-184-18150	1.5mm	7" or 17.8 cm



STANDARD BIPOLAR FORCEPS


Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-185-19050	100-184-19050	0.5mm	7 ½" or 19.1 cm
100-185-19100	100-184-19100	1.0mm	7 ½" or 19.1 cm
100-185-19150	100-184-19150	1.5mm	7 ½" or 19.1 cm
100-185-19200	100-184-19200	2.0mm	7 ½" or 19.1 cm
100-185-20100	100-184-20100	1.0mm	8" or 20.3 cm
100-185-20150	100-184-20150	1.5mm	8" or 20.3 cm
100-185-20200	100-184-20200	2.0mm	8" or 20.3 cm
100-185-22100	100-184-22100	1.0mm	8 ½" or 21.6 cm
100-185-22150	100-184-22150	1.5mm	8 ½" or 21.6 cm
100-185-22200	100-184-22200	2.0mm	8 ½" or 21.6 cm
100-185-22250	100-184-22250	2.5mm	8 ½" or 21.6 cm



Jansen Bayonet, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
100-195-17100	100-194-17100	1.0mm	6 ½" or 16.5 cm
100-195-17150	100-194-17150	1.5mm	6 ½" or 16.5 cm
100-195-18100	100-194-18100	1.0mm	7" or 17.8 cm
100-195-18150	100-194-18150	1.5mm	7" or 17.8 cm
100-195-19100	100-194-19100	1.0mm	7 ½" or 19.1 cm
100-195-19150	100-194-19150	1.5mm	7 ½" or 19.1 cm
100-195-20100	100-194-20100	1.0mm	8" or 20.3 cm
100-195-20150	100-194-20150	1.5mm	8" or 20.3 cm
100-195-22100	100-194-22100	1.0mm	8 ½" or 21.6 cm
100-195-22150	100-194-22150	1.5mm	8 ½" or 21.6 cm






NON STICK BIPOLAR FORCEPS

McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-005-10050NS	110-004-10050NS	0.5mm	4" or 10.2 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-015-10050NS	110-014-10050NS	0.5mm	4" or 10.2 cm



Jeweler No.5, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-025-11050NS	110-024-11050NS	0.5mm	4 1/2" or 11.4 cm



Jeweler No.5, Curved


With Cable		Without Cable	
Code	Code	Tip	Length
110-035-11050NS	110-034-11050NS	0.5mm	4 1/2" or 11.4 cm



NON STICK BIPOLAR FORCEPS

Jeweler No.7, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-045-11050NS	110-044-11050NS	0.5mm	4 ½" or 11.2 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
110-055-13050NS	110-054-13050NS	0.5mm	4 ¾" or 12.1 cm
110-055-13100NS	110-054-13100NS	1.0mm	4 ¾" or 12.1 cm




Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-065-15050NS	110-064-15050NS	0.5mm	6" or 15.2 cm
110-065-15100NS	110-064-15100NS	1.0mm	6" or 15.2 cm
110-065-15150NS	110-064-15150NS	1.5mm	6" or 15.2 cm
110-065-15200NS	110-064-15200NS	2.0mm	6" or 15.2 cm
110-065-17050NS	110-064-17050NS	0.5mm	6 ½" or 16.5 cm
110-065-17100NS	110-064-17100NS	1.0mm	6 ½" or 16.5 cm
110-065-17150NS	110-064-17150NS	1.5mm	6 ½" or 16.5 cm
110-065-17200NS	110-064-17200NS	2.0mm	6 ½" or 16.5 cm




Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-065-18050NS	110-064-18050NS	0.5mm	7" or 17.8 cm
110-065-18100NS	110-064-18100NS	1.0mm	7" or 17.8 cm
110-065-18150NS	110-064-18150NS	1.5mm	7" or 17.8 cm
110-065-18200NS	110-064-18200NS	2.0mm	7" or 17.8 cm
110-065-20050NS	110-064-20050NS	0.5mm	7 ¼" or 19.7 cm
110-065-20100NS	110-064-20100NS	1.0mm	7 ¼" or 19.7 cm
110-065-20150NS	110-064-20150NS	1.5mm	7 ¼" or 19.7 cm
110-065-20200NS	110-064-20200NS	2.0mm	7 ¼" or 19.7 cm
110-065-21050NS	110-064-21050NS	0.5mm	8 ¼" or 21 cm
110-065-21100NS	110-064-21100NS	1.0mm	8 ¼" or 21 cm
110-065-21150NS	110-064-21150NS	1.5mm	8 ¼" or 21 cm
110-065-21200NS	110-064-21200NS	2.0mm	8 ¼" or 21 cm




Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-15050NS	110-074-15050NS	0.5mm	6" or 15.2 cm
110-075-15100NS	110-074-15100NS	1.0mm	6" or 15.2 cm
110-075-15150NS	110-074-15150NS	1.5mm	6" or 15.2 cm
110-075-15200NS	110-074-15200NS	2.0mm	6" or 15.2 cm
110-075-17050NS	110-074-17050NS	0.5mm	6 ½" or 16.5 cm
110-075-17100NS	110-074-17100NS	1.0mm	6 ½" or 16.5 cm
110-075-17150NS	110-074-17150NS	1.5mm	6 ½" or 16.5 cm
110-075-17200NS	110-074-17200NS	2.0mm	6 ½" or 16.5 cm




Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-18050NS	110-074-18050NS	0.5mm	7" or 17.8 cm
110-075-18100NS	110-074-18100NS	1.0mm	7" or 17.8 cm
110-075-18150NS	110-074-18150NS	1.5mm	7" or 17.8 cm
110-075-18200NS	110-074-18200NS	2.0mm	7" or 17.8 cm
110-075-20050NS	110-074-20050NS	0.5mm	7 ¾" or 19.7 cm
110-075-20100NS	110-074-20100NS	1.0mm	7 ¾" or 19.7 cm
110-075-20150NS	110-074-20150NS	1.5mm	7 ¾" or 19.7 cm
110-075-20200NS	110-074-20200NS	2.0mm	7 ¾" or 19.7 cm
110-075-21050NS	110-074-21050NS	0.5mm	8 ¼" or 21 cm
110-075-21100NS	110-074-21100NS	1.0mm	8 ¼" or 21 cm
110-075-21150NS	110-074-21150NS	1.5mm	8 ¼" or 21 cm
110-075-21200NS	110-074-21200NS	2.0mm	8 ¼" or 21 cm




Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
110-085-15050NS	110-084-15050NS	0.5mm	6" or 15.2 cm
110-085-15100NS	110-084-15100NS	1.0mm	6" or 15.2 cm
110-085-15150NS	110-084-15150NS	1.5mm	6" or 15.2 cm
110-085-15200NS	110-084-15200NS	2.0mm	6" or 15.2 cm
110-085-17050NS	110-084-17050NS	0.5mm	6 ½" or 16.5 cm
110-085-17100NS	110-084-17100NS	1.0mm	6 ½" or 16.5 cm
110-085-17150NS	110-084-17150NS	1.5mm	6 ½" or 16.5 cm
110-085-17200NS	110-084-17200NS	2.0mm	6 ½" or 16.5 cm



Bayonet


With Cable		Without Cable	
Code	Code	Tip	Length
110-085-18050NS	110-084-18050NS	0.5mm	7" or 17.8 cm
110-085-18100NS	110-084-18100NS	1.0mm	7" or 17.8 cm
110-085-18150NS	110-084-18150NS	1.5mm	7" or 17.8 cm
110-085-18200NS	110-084-18200NS	2.0mm	7" or 17.8 cm
110-085-20050NS	110-084-20050NS	0.5mm	8" or 20.3 cm
110-085-20100NS	110-084-20100NS	1.0mm	8" or 20.3 cm
110-085-20150NS	110-084-20150NS	1.5mm	8" or 20.3 cm
110-085-20200NS	110-084-20200NS	2.0mm	8" or 20.3 cm



NON STICK BIPOLAR FORCEPS


Bayonet, Angled Up

With Cable		Without Cable	
Code	Code	Tip	Length
110-095-15050NS	110-094-15050NS	0.5mm	6" or 15.2 cm
110-095-15100NS	110-094-15100NS	1.0mm	6" or 15.2 cm
110-095-15150NS	110-094-15150NS	1.5mm	6" or 15.2 cm
110-095-15200NS	110-094-15200NS	2.0mm	6" or 15.2 cm
110-095-17050NS	110-094-17050NS	0.5mm	6 ½" or 16.5 cm
110-095-17100NS	110-094-17100NS	1.0mm	6 ½" or 16.5 cm
110-095-17150NS	110-094-17150NS	1.5mm	6 ½" or 16.5 cm
110-095-17200NS	110-094-17200NS	2.0mm	6 ½" or 16.5 cm




Bayonet, Angled Up

With Cable		Without Cable	
Code	Code	Tip	Length
110-095-18050NS	110-094-18050NS	0.5mm	7" or 17.8 cm
110-095-18100NS	110-094-18100NS	1.0mm	7" or 17.8 cm
110-095-18150NS	110-094-18150NS	1.5mm	7" or 17.8 cm
110-095-18200NS	110-094-18200NS	2.0mm	7" or 17.8 cm
110-095-20050NS	110-094-20050NS	0.5mm	8" or 20.3 cm
110-095-20100NS	110-094-20100NS	1.0mm	8" or 20.3 cm
110-095-20150NS	110-094-20150NS	1.5mm	8" or 20.3 cm
110-095-20200NS	110-094-20200NS	2.0mm	8" or 20.3 cm




Bayonet, Angled Down

With Cable		Without Cable	
Code	Code	Tip	Length
110-105-15050NS	110-104-15050NS	0.5mm	6" or 15.2 cm
110-105-15100NS	110-104-15100NS	1.0mm	6" or 15.2 cm
110-105-15150NS	110-104-15150NS	1.5mm	6" or 15.2 cm
110-105-15200NS	110-104-15200NS	2.0mm	6" or 15.2 cm
110-105-17050NS	110-104-17050NS	0.5mm	6 ½" or 16.5 cm
110-105-17100NS	110-104-17100NS	1.0mm	6 ½" or 16.5 cm
110-105-17150NS	110-104-17150NS	1.5mm	6 ½" or 16.5 cm
110-105-17200NS	110-104-17200NS	2.0mm	6 ½" or 16.5 cm



Bayonet, Angled Down


With Cable		Without Cable	
Code	Code	Tip	Length
110-105-18050NS	110-104-18050NS	0.5mm	7" or 17.8 cm
110-105-18100NS	110-104-18100NS	1.0mm	7" or 17.8 cm
110-105-18150NS	110-104-18150NS	1.5mm	7" or 17.8 cm
110-105-18200NS	110-104-18200NS	2.0mm	7" or 17.8 cm
110-105-20050NS	110-104-20050NS	0.5mm	8" or 20.3 cm
110-105-20100NS	110-104-20100NS	1.0mm	8" or 20.3 cm
110-105-20150NS	110-104-20150NS	1.5mm	8" or 20.3 cm
110-105-20200NS	110-104-20200NS	2.0mm	8" or 20.3 cm





McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100-005-09050NS	100-004-09050NS	0.5mm	3 1/2" or 8.9 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-015-09050NS	100-014-09050NS	0.5mm	3 1/2" or 8.9 cm




Iris, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100-045-111050NS	100-044-111050NS	0.5mm	4 1/4" or 10.8 cm
100-045-111100NS	100-044-111100NS	1.0mm	4 1/4" or 10.8 cm



Iris, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-055-111050NS	100-054-111050NS	0.5mm	4 1/4" or 10.8 cm
100-055-111100NS	100-054-111100NS	1.0mm	4 1/4" or 10.8 cm



NON STICK BIPOLAR FORCEPS


Jeweler No.4

With Cable		Without Cable	
Code	Code	Tip	Length
100-075-11050NS	100-074-11050NS	0.5mm	4 ½" or 11.4 cm




Jeweler No.5

With Cable		Without Cable	
Code	Code	Tip	Length
100-085-11050NS	100-084-11050NS	0.5mm	4 ½" or 11.4 cm



Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-285-11050NS	100-284-11050NS	0.5mm	4 ½" or 11.4 cm




Jeweler No.7

With Cable		Without Cable	
Code	Code	Tip	Length
100-095-11050NS	100-094-11050NS	0.5mm	4 ½" or 11.4 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
100-105-12050NS	100-104-12050NS	0.5mm	4 3/4" or 12.1 cm
100-105-12100NS	100-104-12100NS	1.0mm	4 3/4" or 12.1 cm
100-115-13050NS	100-114-13050NS	0.5mm	5" or 12.7 cm
100-115-13100NS	100-114-13100NS	1.0mm	5" or 12.7 cm



Semkin

With Cable		Without Cable	
Code	Code	Tip	Length
100-125-14050NS	100-124-14050NS	0.5mm	5 1/2" or 14 cm
100-125-14100NS	100-124-14100NS	1.0mm	5 1/2" or 14 cm



Cushing

With Cable		Without Cable	
Code	Code	Tip	Length
100-135-16100NS	100-134-16100NS	1.0mm	6 1/4" or 15.9 cm
100-135-16150NS	100-134-16150NS	1.5mm	6 1/4" or 15.9 cm
100-135-18100NS	100-134-18100NS	1.0mm	7" or 17.8 cm
100-135-18150NS	100-134-18150NS	1.5mm	7" or 17.8 cm
100-135-18200NS	100-134-18200NS	2.0mm	7" or 17.8 cm



Gerald

With Cable		Without Cable	
Code	Code	Tip	Length
100-155-18100NS	100-154-18100NS	1.0mm	7" or 17.8 cm
100-155-18150NS	100-154-18150NS	1.5mm	7" or 17.8 cm



NON STICK BIPOLAR FORCEPS


Gerald, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-165-18100NS	100-164-18100NS	1.0mm	7" or 17.8 cm
100-165-18150NS	100-164-18150NS	1.5mm	7" or 17.8 cm




Gerald Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-175-18100NS	100-174-18100NS	1.0mm	7 1/4" or 18.4 cm
100-175-18150NS	100-174-18150NS	1.5mm	7 1/4" or 18.4 cm
100-175-20100NS	100-174-20100NS	1.0mm	8" or 20.3 cm
100-175-20150NS	100-174-20150NS	1.5mm	8" or 20.3 cm




Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-185-15050NS	100-184-15050NS	0.5mm	6" or 15.2 cm
100-185-15100NS	100-184-15100NS	1.0mm	6" or 15.2 cm
100-185-15150NS	100-184-15150NS	1.5mm	6" or 15.2 cm
100-185-17050NS	100-184-17050NS	0.5mm	6 1/2" or 16.5 cm
100-185-17100NS	100-184-17100NS	1.0mm	6 1/2" or 16.5 cm
100-185-17150NS	100-184-17150NS	1.5mm	6 1/2" or 16.5 cm
100-185-18050NS	100-184-18050NS	0.5mm	7" or 17.8 cm
100-185-18100NS	100-184-18100NS	1.0mm	7" or 17.8 cm
100-185-18150NS	100-184-18150NS	1.5mm	7" or 17.8 cm




Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-185-19050NS	100-184-19050NS	0.5mm	7 ½" or 19.1 cm
100-185-19100NS	100-184-19100NS	1.0mm	7 ½" or 19.1 cm
100-185-19150NS	100-184-19150NS	1.5mm	7 ½" or 19.1 cm
100-185-19200NS	100-184-19200NS	2.0mm	7 ½" or 19.1 cm
100-185-20100NS	100-184-20100NS	1.0mm	8" or 20.3 cm
100-185-20150NS	100-184-20150NS	1.5mm	8" or 20.3 cm
100-185-20200NS	100-184-20200NS	2.0mm	8" or 20.3 cm
100-185-22100NS	100-184-22100NS	1.0mm	8 ½" or 21.6 cm
100-185-22150NS	100-184-22150NS	1.5mm	8 ½" or 21.6 cm
100-185-22200NS	100-184-22200NS	2.0mm	8 ½" or 21.6 cm
100-185-22250NS	100-184-22250NS	2.5mm	8 ½" or 21.6 cm



Jansen Bayonet, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
100-195-17100NS	100-194-17100NS	1.0mm	6 ½" or 16.5 cm
100-195-17150NS	100-194-17150NS	1.5mm	6 ½" or 16.5 cm
100-195-18100NS	100-194-18100NS	1.0mm	7" or 17.8 cm
100-195-18150NS	100-194-18150NS	1.5mm	7" or 17.8 cm
100-195-19100NS	100-194-19100NS	1.0mm	7 ½" or 19.1 cm
100-195-19150NS	100-194-19150NS	1.5mm	7 ½" or 19.1 cm
100-195-20100NS	100-194-20100NS	1.0mm	8" or 20.3 cm
100-195-20150NS	100-194-20150NS	1.5mm	8" or 20.3 cm
100-195-22100NS	100-194-22100NS	1.0mm	8 ½" or 21.6 cm
100-195-22150NS	100-194-22150NS	1.5mm	8 ½" or 21.6 cm





MONOPOLAR FORCEPS

MONOPOLAR FORCEPS

Jeweler No.5, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
150-015-11050	150-014-11050	0.5mm	4 ½" or 11.4 cm



Adson

With Cable		Without Cable	
Code	Code	Tip	Length
150-035-13100	150-034-13100	1.0mm	5" or 12.7 cm



Potts-Smith

With Cable		Without Cable	
Code	Code	Tip	Length
150-045-18200	150-044-18200	2.0mm	7" or 17.8 cm
150-045-20100	150-044-20100	1.0mm	8" or 20.3 cm
150-045-20150	150-044-20150	1.5mm	8" or 20.3 cm
150-045-20200	150-044-20200	2.0mm	8" or 20.3 cm
150-045-22100	150-044-22100	1.0mm	8 ½" or 21.6 cm
150-045-22150	150-044-22150	1.5mm	8 ½" or 21.6 cm
150-045-22200	150-044-22200	2.0mm	8 ½" or 21.6 cm
150-045-24100	150-044-24100	1.0mm	9 ½" or 24.1 cm
150-045-24150	150-044-24150	1.5mm	9 ½" or 24.1 cm
150-045-24200	150-044-24200	2.0mm	9 ½" or 24.1 cm



Jansen Bayonet


With Cable		Without Cable	
Code	Code	Tip	Length
150-055-14100	150-054-14100	1.0mm	5 ½" or 14 cm
150-055-14150	150-054-14150	1.5mm	5 ½" or 14 cm
150-055-17100	150-054-17100	1.0mm	6 ½" or 16.5 cm
150-055-17150	150-054-17150	1.5mm	6 ½" or 16.5 cm






Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
150-055-19150	150-054-19150	1.5mm	7 ½" or 19.1 cm
150-055-19200	150-054-19200	2.0mm	7 ½" or 19.1 cm
150-055-20150	150-054-20150	1.5mm	8" or 20.3 cm
150-055-20200	150-054-20200	2.0mm	8" or 20.3 cm
150-055-22150	150-054-22150	1.5mm	8 ½" or 21.6 cm
150-055-22200	150-054-22200	2.0mm	8 ½" or 21.6 cm



Jansen Bayonet, Angled-Up

With Cable		Without Cable	
Code	Code	Tip	Length
150-065-19150	150-064-19150	1.5mm	7 ½" or 19.1 cm
150-065-19200	150-064-19200	2.0mm	7 ½" or 19.1 cm
150-065-20150	150-064-20150	1.5mm	8" or 20.3 cm
150-065-20200	150-064-20200	2.0mm	8" or 20.3 cm
150-065-22150	150-064-22150	1.5mm	8 ½" or 21.6 cm
150-065-22200	150-064-22200	2.0mm	8 ½" or 21.6 cm





CABLES



Bipolar Cables

Plug - Generator	Length	Flat Plug (European)	2 Pin Plug (American)
2-Pin Banana	3m	200-004-3	190-004-3
	5m	200-004-5	190-004-5
Valleylab (2-Pin Moulded)	3m	200-014-3	190-014-3
	5m	200-014-5	190-014-5



Monopolar Cables

Plug - Generator	Length	Screw Type	Ø 4mm - Male Socket	Ø 4mm - Female Socket	Ø 4.8mm - Female Socket
Ø 4mm	3m	210-004-3	220-004-3	220-014-3	220-034-3
	5m	210-004-5	220-004-5	220-014-5	220-034-5
Ø 8mm	3m	210-014-3	220-054-3	220-024-3	220-044-3
	5m	210-014-5	220-054-5	220-024-5	220-044-5






ELECTROSURGICAL PENCILS

HANDCONTROL
FOOTCONTROL



Handswitching Pencil

Standard		Non Stick		
Code	Code	Cable	Switch	Electrode
231-014-3	231-014-3NS	3m	3-Pin	Blade
231-014-5	231-014-5NS	5m	3-Pin	Blade
231-044-3	231-044-3NS	3m	Erbe	Blade
231-044-5	231-044-5NS	5m	Erbe	Blade
231-164-3	231-164-3NS	3m	3-Pin	Needle
231-164-5	231-164-5NS	5m	3-Pin	Needle
231-194-3	231-194-3NS	3m	Erbe	Needle
231-194-5	231-194-5NS	5m	Erbe	Needle



Handswitching Pencil with Holster

Standard		Non Stick		
Code	Code	Cable	Switch	Electrode
231-064-3	231-064-3NS	3m	3-Pin	Blade
231-064-5	231-064-5NS	5m	3-Pin	Blade
231-094-3	231-094-3NS	3m	Erbe	Blade
231-094-5	231-094-5NS	5m	Erbe	Blade
231-214-3	231-214-3NS	3m	3-Pin	Needle
231-214-5	231-214-5NS	5m	3-Pin	Needle
231-244-3	231-244-3NS	3m	Erbe	Needle
231-244-5	231-244-5NS	5m	Erbe	Needle



Handswitching Pencil with Holster & Tip Cleaner

Standard		Non Stick		
Code	Code	Cable	Switch	Electrode
231-114-3	231-114-3NS	3m	3-Pin	Blade
231-114-5	231-114-5NS	5m	3-Pin	Blade
231-144-3	231-144-3NS	3m	Erbe	Blade
231-144-5	231-144-5NS	5m	Erbe	Blade
231-264-3	231-264-3NS	3m	3-Pin	Needle
231-264-5	231-264-5NS	5m	3-Pin	Needle
231-294-3	231-294-3NS	3m	Erbe	Needle
231-294-5	231-294-5NS	5m	Erbe	Needle






FOOTCONTROL ELECTROSURGICAL PENCILS



Footswitching Pencil

Standard		Non Stick		
Code	Code	Cable	Switch	Electrode
240-004-3	240-004-3NS	3m	4mm	Blade
240-004-5	240-004-5NS	5m	4mm	Blade
240-014-3	240-014-3NS	3m	8mm	Blade
240-014-5	240-014-5NS	5m	8mm	Blade
240-064-3	240-064-3NS	3m	4mm	Needle
240-064-5	240-064-5NS	5m	4mm	Needle
240-074-3	240-074-3NS	3m	8mm	Needle
240-074-5	240-074-5NS	5m	8mm	Needle



Handswitching Pencil with Holster

Standard		Non Stick		
Code	Code	Cable	Switch	Electrode
240-024-3	240-024-3NS	3m	4mm	Blade
240-024-5	240-024-5NS	5m	4mm	Blade
240-034-3	240-034-3NS	3m	8mm	Blade
240-034-5	240-034-5NS	5m	8mm	Blade
240-084-3	240-084-3NS	3m	4mm	Needle
240-084-5	240-084-5NS	5m	4mm	Needle
240-094-3	240-094-3NS	3m	8mm	Needle
240-094-5	240-094-5NS	5m	8mm	Needle



Handswitching Pencil with Holster & Tip Cleaner

Standard		Non Stick		
Code	Code	Cable	Switch	Electrode
240-044-3	240-044-3NS	3m	4mm	Blade
240-044-5	240-044-5NS	5m	4mm	Blade
240-054-3	240-054-3NS	3m	8mm	Blade
240-054-5	240-054-5NS	5m	8mm	Blade
240-104-3	240-104-3NS	3m	4mm	Needle
240-104-5	240-104-5NS	5m	4mm	Needle
240-114-3	240-114-3NS	3m	8mm	Needle
240-114-5	240-114-5NS	5m	8mm	Needle



ELECTRODES

STANDARD
NON STICK

Ball Electrode



Standard

Code	Length	Size
250-104-06024	5.5cm	3mm

Ball Electrode



Standard

Code	Length	Size
250-104-11024	11cm	3mm

Ball Electrode



Standard

Code	Length	Size
250-104-15024	15cm	3mm

Ball Electrode



Standard

Code	Length	Size
250-144-06024	5.5cm	5mm

Ball Electrode



Standard

Code	Length	Size
250-144-11024	11cm	5mm

Ball Electrode



Standard

Code	Length	Size
250-144-15024	15cm	5mm



Blade Electrode



Standard	
Code	Length
250-004-07024	7cm

Blade Electrode



Standard	
Code	Length
250-004-10024	10cm

Blade Electrode



Standard	
Code	Length
250-004-13024	13cm

Blade Electrode



Standard	
Code	Length
250-004-15024	15cm

Blade Electrode



Standard	
Code	Length
250-004-17524	17.5cm

Blade Electrode



Standard	
Code	Length
250-004-20024	20cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-07024	7cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-10024	10cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-13024	13cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-15024	15cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-07024	7cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-10024	10cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-13024	13cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-15024	15cm



Needle Electrode, Curved

Standard

Code	Length
250-054-07024	7cm



Needle Electrode, Curved

Standard

Code	Length
250-054-10024	10cm



Needle Electrode, Curved

Standard

Code	Length
250-054-13024	13cm



Needle Electrode, Curved

Standard

Code	Length
250-054-15024	15cm



Needle Electrode, 3mm active tip

Standard

Code	Length
250-194-07024	7cm



Needle Electrode, 3mm active tip

Standard

Code	Length
250-194-10024	10cm



Needle Electrode, 3mm active tip

Standard

Code	Length
250-194-13024	13cm



Needle Electrode, 3mm active tip

Standard

Code	Length
250-194-15024	15cm



Ball Electrode

Non Stick

Code	Length	Size
250-104-06024NS	5.5cm	3mm



Ball Electrode

Non Stick

Code	Length	Size
250-104-11024NS	11cm	3mm



Ball Electrode

Non Stick

Code	Length	Size
250-104-15024NS	15cm	3mm



Ball Electrode

Non Stick

Code	Length	Size
250-144-06024NS	5.5cm	5mm



Ball Electrode

Non Stick

Code	Length	Size
250-144-11024NS	11cm	5mm



Ball Electrode

Non Stick

Code	Length	Size
250-144-15024NS	15cm	5mm



Blade Electrode

Non Stick

Code Length

250-004-07024NS 7cm



Blade Electrode

Non Stick

Code Length

250-004-10024NS 10cm



Blade Electrode

Non Stick

Code Length

250-004-13024NS 13cm



Blade Electrode

Non Stick

Code Length

250-004-15024NS 15cm



Blade Electrode, Shielded tip

Non Stick

Code Length

250-204-07024NS 7cm



Blade Electrode, Shielded tip

Non Stick

Code Length

250-204-10024NS 10cm



Blade Electrode, Shielded tip

Non Stick

Code Length

250-204-13024NS 13cm



Blade Electrode, Shielded tip

Non Stick

Code Length

250-204-15024NS 15cm



Needle Electrode

Non Stick

Code	Length
250-044-07024NS	7cm



Needle Electrode

Non Stick

Code	Length
250-044-10024NS	10cm



Needle Electrode

Non Stick

Code	Length
250-044-13024NS	13cm



Needle Electrode

Non Stick

Code	Length
250-044-15024NS	15cm



Needle Electrode, Shielded tip

Non Stick

Code	Length
250-184-07024NS	7cm



Needle Electrode, Shielded tip

Non Stick


Code	Length
250-184-10024NS	10cm



Needle Electrode, Shielded tip

Non Stick

Code	Length
250-184-13024NS	13cm




Needle Electrode, Shielded tip

Non Stick

Code	Length
250-184-15024NS	15cm



COLPOSCOPY LOOPS



Square Loop

Code	Size
260-004-131004	10x4mm



Square Loop

Code	Size
260-004-131008	10x8mm




Loop Electrode

Code	Size
260-014-131005	10x5mm



Loop Electrode

Code	Size
260-014-131008	10x8mm



Loop Electrode

Code	Size
260-014-131010	10x10mm



Loop Electrode

Code	Size
260-024-131508	15x8mm



Loop Electrode

Code	Size
260-024-131515	15x15mm



Loop Electrode

Code	Size
260-034-132012	20x12mm



Loop Electrode

Code	Size
260-034-132015	20x15mm



Loop Electrode

Code	Size
260-034-132020	20x20mm



BIPOLAR ELECTRODES



Bipolar Electrodes

Straight

Code	Size
I40-004-18	18cm
I40-004-20	20cm
I40-004-22	22cm
I40-004-28	28cm



Bipolar Electrodes

Angled

Code	Size
I40-014-18	18cm
I40-014-20	20cm
I40-014-22	22cm
I40-014-28	28cm



Bipolar Electrodes

Angled 45°

Code	Size
I40-024-18	18cm
I40-024-20	20cm
I40-024-22	22cm



Bipolar Electrodes

Angled 45°, Upward Tips

Code	Size
I40-034-18	18cm
I40-034-20	20cm
I40-034-22	22cm



Bipolar Electrodes

Angled 90°

Code	Size
I40-044-16	18cm
I40-044-18	20cm
I40-044-20	22cm



Bipolar Electrodes

Angled 90°, Upward Tips

Code	Size
I40-054-16	18cm
I40-054-18	20cm
I40-054-20	22cm



LAPAROSCOPIC ELECTRODES

L-Hook Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-005-36050	280-004-36050	36cm
280-005-45050	280-004-45050	45cm



J-Hook Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-015-36050	280-014-36050	36cm
280-015-45050	280-014-45050	45cm



Spatula Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-025-36050	280-024-36050	36cm
280-025-45050	280-024-45050	45cm



Ball Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-035-36050	280-034-36050	36cm
280-035-45050	280-034-45050	45cm




Needle Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-045-36050	280-044-36050	36cm
280-045-45050	280-044-45050	45cm



Cone Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-055-36050	280-054-36050	36cm
280-055-45050	280-054-45050	45cm



Knife Electrode, Without Suction

With Cable		Without Cable
Code	Code	Length
280-065-36050	280-064-36050	36cm
280-065-45050	280-064-45050	45cm



L-Hook Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-005-36050	290-004-36050	36cm
290-005-45050	290-004-45050	45cm



J-Hook Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-015-36050	290-014-36050	36cm
290-015-45050	290-014-45050	45cm



Spatula Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-025-45050	290-024-45050	36cm
290-035-36050	290-034-36050	45cm



Ball Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-035-36050	290-034-36050	36cm
290-035-45050	290-034-45050	45cm




Needle Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-045-36050	290-044-36050	36cm
290-045-45050	290-044-45050	45cm



Cone Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-055-36050	290-054-36050	36cm
290-055-45050	290-054-45050	45cm



Knife Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-065-36050	290-064-36050	36cm
290-065-45050	290-064-45050	45cm





ENDO HOOKS



Handswitching

Standard	Non Stick				
Code	Code	Cable	Switch	Length	Tip
280-004-33050	280-004-33050NS	3m	3-Pin	33cm	L-Shaped
280-014-33050	280-014-33050NS	3m	3-Pin	33cm	J-Shaped
280-024-33050	280-024-33050NS	3m	3-Pin	33cm	Spatula
280-034-33050	280-034-33050NS	3m	3-Pin	33cm	Needle



Footswitching


Standard		Non Stick			
Code	Code	Cable	Switch	Length	Tip
280-044-33050	280-044-33050NS	3m	4mm	33cm	L-Shaped
280-054-33050	280-054-33050NS	3m	4mm	33cm	J-Shaped
280-064-33050	280-064-33050NS	3m	4mm	33cm	Spatula
280-074-33050	280-074-33050NS	3m	4mm	33cm	Needle



SPECULUMS

Collin

Code	Size
320-064-1	Small
320-064-2	Medium
320-064-3	Large



Graves

Code	Size
320-004-1	Small
320-004-2	Medium
320-004-3	Large





Cusco

Code	Size
320-084-1	Small
320-084-2	Medium
320-084-3	Large



Pederson

Code	Size
320-044-1	Small
320-044-2	Medium
320-044-3	Large



www.maarain.com

CERTIFIED:

ISO 9001:2008

ISO 14001:2004

ISO 13485: 2003

cGMP - FDA (USA)

CE 0120

Mailing Address:

P.O.Box: 432, Sialkot-Pakistan

Factory:

Wazirabad Road, Sialkot-Pakistan.

Phone: +92 52 4264926 & 4264571

Fax: +92 52 4264759 & 4264026

E-mail: info@maarain.com

URL: www.maarain.com